PORCELAIN CATALOGUE

2021 Collection 100×100 cm Polished



One Smile Begin a Friendship :) لبخند شروعِ یک دوستی

About us

Avex started production in 2018 with the support of 25 years of experience in the ceramic tile industry and is collaboration with a team of architects & engineers.

Avex Ceramics started with a knowledge - based approach to brand infrastructure development, so Avex creators were able to take a major step-forward in innovating and producting world-class quality Iranian products but the whole value of Avex is not just about producing quality, having a precious place in the audience's mind puts a targeted relationship with the promotion of new sales promotion ads.

By studying audience behavior and understanding the philosophy of lifestyle; Avex began to taste for specific people.

Avex mission is to create a magnificent advantage for the construction site.

Content

Limba Orchard Rachina

8 10 12

AVEX CERAMICS

6









Porcelain White Body Polished Different Face: 3 Flat Rectified Color: Light

















Porcelain White Body **Polished** Different Face: 4 Flat Rectified Color: Light












.

T



Porcelain White Body Polished Different Face: 4 Flat Rectified Color: Light







2021 Collection

The matte glaze is more slipresistant whereas shiny, highgloss ceramic floor tiles could be dangerous. An additional point is that the shinier the tile, the more easily it shows up dirt... Using ceramic tiles with a matte finish also has advantages on kitchen countertops.

Although glazed ceramic and porcelain tile are a little less robust in terms of density and thickness than their unglazed counterpart, they allow for a wider range of styles and colors. Glazed tiles Then there is the issue of gloss: many years in the future.

also tend to be more resistant to staining, as they're protected by a non-porous layer of liquid glass.

When it comes to the glaze itself, different options are available and will impact the degree of durability. Some varieties of glazed tile are fired at higher temperatures than others, and therefore are harder as well. This can often be determined by how light or dark the glaze is, with lighter glazes generally being harder than darker glazes.

matte and satin finishes are generally harder than shinny finishes. As always, it's a good idea to try and strike a balance between practicality and decorative taste when choosing your glazed ceramic and porcelain tile.

Whether you choose glazed or unglazed tile, both types have their own unique qualities. As always, it's best to know the needs of your space and the look you are after. This way, your flooring project will be something you can enjoy for

Through optimised production processes and the most advanced technologies, it is now possible to obtain products with extraordinary aesthetic gualities. As well as products inspired by continuous research into the most recent design and decoration trends, it is now possible to reproduce in an incredibly faithful way every type of material from wood to stone, concrete and resin.

AVEX CERAMICS

The best thing in life are the people we love the places we've been and the memories we've made.

Packing Specifications Size 100×100cm (Rectified) Polished

| SIZE | TILE/BOX | SQM | WEIGHT/BOX (kg) | BOXES/ PALLET | SQM/PALLET | WEIGHT/ PALLET (kg) |
|-------------|----------|------|--------------------|------------------|-----------------------|------------------------|
| 1000×1000mm | 2 | 1.96 | 58 | 42 | 82.3284m ² | 2240 |

Porcelain Tile Specifications (First Grade) Size 100×100cm (Rectified) Polished

Approx squ

Res.low Acid

House Hold an

Work Size

Thinkness

| Classification | Interior & Exterior / Floor GL | | |
|--------------------------------|--------------------------------|--|--|
| QTY | 2 | | |
| pprox square (m ²) | 1.96 | | |
| Abrasive Class | 1 | | |
| low Acid and Alkalis | GLB | | |
| se Hold and Pool Salt | GB | | |
| Work Size (mm) | 990×990 | | |
| Thinkness (mm) | 12.5 | | |
| Nominal Size | 1000×1000 | | |
| Staining Class | 3 | | |



A: No32, Nirooye Entezami St, Attar Sq, Tehran/Iran
PC: 1994767615
T: +98 21 88616181-4
E: info@avexceramics.com

www.avexceramics.com